

ISSN 0869-4362

**Русский  
орнитологический  
журнал**

**2007  
XVI**



**ЭКСПРЕСС-ВЫПУСК  
310  
EXPRESS-ISSUE**



2006

310

---

147-170

170-173

173-174

174-175

176-177

177-178

179

*albicilla*

*sibiricus*

*coturnix*

*Galerida cristata*

*Haliaeetus*

*Uragus*

*Coturnix*

« » . . .  
*Fringilla montifringilla*

The Russian Journal of Ornithology  
*Published from 1992*

Volume XV  
Express-issue

2006 310

## CONTENTS

---

- 147-170 To bird fauna of Zaisan Lake and Buchtarma reservoir.  
V. A. EGOROV, N. N. BEREZOVNIKOV
- 170-173 The crested lark *Galerida cristata* in St.-Petersburg  
government. V. L. BIANCHI
- 173-174 Nesting of the white-tailed eagle *Haliaeetus*  
*albicilla* on powerlines in the Astrakhan region.  
M. V. PESTOV
- 174-175 The first records of the long-tailed rosefinch  
*Uragus sibiricus* in the Moscow region.  
V. V. KONTORSHCHIKOV, M. V. KALIAKIN
- 176-177 Winter records of the common quail *Coturnix*  
*coturnix* in Alakol depression, Kazakhstan.  
N. N. BEREZOVNIKOV, B. P. ANNENKOV
- 177-178 Changes in water bird fauna of the Kivach Reserve,  
Karelia. M. V. YAKOVLEVA
- 179 Wintering of the brambling *Fringilla montifringilla*  
in Middle Ural region. A. N. PISKUNOV
- 

*A. V. Bardin, Editor and Publisher*  
Department of Vertebrate Zoology  
St.-Petersburg University  
St.-Petersburg 199034 Russia

1) 30- , , 492025, , 93,  
 2) , 480060, . E-mail InstZoo@nursat.kz  
 5 2005

(1962-2002)  
 « » ( , 2003).  
 ( 1994 1995).

*Gavia arctica.*  
 ( ) 12 13 1973  
 15 1965 -

*Podiceps nigricollis.*  
 17 1965 4 , -

*Podiceps cristatus.*  
 15 1965 6 -  
 1967 1-2 , -  
 10 .

1979 50 , -  
 ( ) 21 -  
 1962 (1 . ), 22-27 -

14 -

1995 -

*Pelecanus onocrotalus.* -

28-31 1988 *Pelecanus crispus* 3

( ) 16 1988

30 *P. onocrotalus.*

*Pelecanus crispus.*

1960-1969 ., -

1970- ( . 1995). 1 1979

26 (3+5+8+10). 28

1986 40 -

28-31 1988 139 , 44 -

, 93 - 2 - -

160 . 16 1988

1988 : 17-22

- 32, - 4, - 1,

21-22 - 3 . 25

1988 150 ( , ,

16 ), .

2 . , 1988 . -

, . . -

- -

12-20 1991 -

7 , - 2,

- 30, - 3

12 1992 18

21 1996

15 . 1986 . 20

18 , 1984-1986 , -

( . 1995). 2002

2-4

30 ,

( 2002).

*Phalacrocorax carbo.* , 1986

,

1988 , 16-

25 , ,

12 1992 600-700,

21 1996 – 500 . -

1994 1995 , -

; 18 1995 100 -

, . . . 3 ,

. 27 2002 -

1000-1200 ( 2002). -

*Botaurus stellaris.* -

15 1965 6 , -

21 1962 5 . -

7 1965 . -

*Nycticorax nycticorax.* -

1985 . -

( 1995). -

. 18 2000 . . -

( 2004). -

*Egretta alba.* . 8 1965 14 -

1975 -

15 1965 17 6 . -

. 6 1967 12 , . -

. 1 1979 12 , -

21 1996 10 . -

*Ardea cinerea.* 20 -

1969 3 . 8 -

1965 - 15 -

1965 .

. 12-13 1965 -

6 1967 4 , -

1 1979 -

14 .

. 14 1969 5 , 17 -

1988 30 , 25 1988 -

. 25 . -

. 8 1970 . -

17 1972 . -

. . . 2006. 15. . 310 -

149

*Ciconia nigra.*

27-28 1976 2  
8 1970  
15 1994  
( ),  
25 1984 4  
( )

*Anser anser.*

21 1962  
2 10  
12 1965 16 13  
2 15 1965  
9 6  
8-12  
12 , 5 1967 6 , 6 8  
- 20 11, 8  
(4 2) 4, 7, 9, 11, 11 27  
17 1969  
23 1969 2 100  
( 3345 2090 ).  
28 1973 ( -  
40, 60, 200, 500 ), 25 1988 - 1500  
1991 500 12  
1970 8 -  
21 1996  
1000

*Cygnus cygnus.*

14 1965 4 , 8 1967 -  
6  
1 1979  
17-18 1988 2  
14-20

1994 13-18 1995  
*Tadorna ferruginea.*

20 1969,  
21 1971.  
14 1965  
20 , 15 - 3  
10 1985 -

6 7 1967 2 . -  
 20 1994 - . -  
 14 18 1995 5 .

*Marmota*

*baibacina,*

*Anas platyrhynchos.*

20 1969. -  
 8 1965  
 , 21 1960  
 9 ( 1969 ), 1  
 13 1969 2  
 6 16 1966  
 9 , 14  
 6 1967 -  
 6 -  
 18 23 1969 2  
 ( 690 930 ). 8  
 1970 20 -  
 1972 -  
 17 1995  
 5 ( 21 -  
 1962 13  
 1972 2

*Anas crecca.*

20 1969. -  
 19 1960 5  
 , 13 1969 2  
 14 1966  
 1969 ( 300 ). 18  
 8 1970 -  
 20 1972  
 ) 21 1962

*Anas strepera.*

12 1965 3 .  
 . 13 1969 - 1 .  
 6 1967 1 -  
 . 14 1969 5 -  
 , 23 - ( 1100



920	)			8	1970	-
			(	21	1962	-
						22-27
		20			1972	-
		<i>Anas acuta.</i>				-
		1969		20		-
		<i>Anas querquedula.</i>				-
15		1965		3	6	-
				7-8		-
				(17)	8	1965
		<i>Anas clypeata.</i>				15
		1965		2	6	-
					6	1967
						20
		18			1969	( 550 )
		<i>Netta rufina.</i>		15	1965	3
				6		-
		<i>Aythya ferina.</i>				-
				8	1965	-
				6	1967	5
						22-27
6						-
1962		<i>Aythya nyroca.</i>				-
				21	1962	-
						8
						1965
		18			1969	( 660 )
				8	1970	-
						7
						1965
				2 «	».	-
		<i>Aythya fuligula.</i>				-
12		1965		9		-
		20			1972	-
		<i>Bucephala clangula.</i>				-
13		1969			6	1967
		2		6		-

- 13 1972 2 6  
*Mergus albellus.* 8  
 1970 ( )  
*Mergus merganser.* 22 1962.  
 17 1972 11  
 , 20 -  
*Pandion haliaetus.* 12-13 1965  
 ( )  
*Milvus migrans.* 8 1965  
 3  
 - 14 1966  
 20 1994  
*Pernis ptilorhynchus.* ( 1928; 1938;  
 1962). 21  
 1996. ( 1938).  
*Circus cyaneus.* 18-19  
 1977  
*Circus macrourus.* (17 ) 13 1969 2  
 - 13 1972  
*Buteo hemilasius.* 19 1976,  
 27 1986  
 3 17 1991  
*Buteo rufinus.* 14 1966  
 , 16  
 15  
*Accipiter nisus.* 13  
 1965 -  
 20 1972  
 15 1995 ,

10 , 4 .  
*Aquila chrysaetos.* -  
22 1980 , *Lepus*  
*tolai.*  
*Haliaeetus albicilla.* 20  
1969 . ( ) 12-13 1965  
. , 8 1970  
50 -  
2 1984 .  
*Falco subbuteo.* -  
. ( ) 12-13 1965 .  
(15 1994). - 20 1994  
, 13 1972 -  
. 20 1972 1 .  
2  
1991 , .  
( 2003).  
*Falco columbarius.* .  
9 1965 .  
*Falco vespertinus.* -  
. ( ) 12-13 1965  
,  
*Falco naumanni.* -  
14 1995  
- ( ).  
*Falco tinnunculus.* ( -  
) 9 1975 , -  
6×6 4.5×4 .  
13 1971 -  
*Eremias multiocellata,*  
. 8 1965 6 -  
1994 18 1995 , 19  
6 4 ,  
. *F. tinnun-*

*culus* (15  
 1994). 22 1962  
*Phasianus colchicus.*  
 ( ) 29 1993  
 ).  
*Perdix perdix.* 20-21  
 1974  
*Coturnix coturnix.*  
 15 1965  
 19 1970 (31.1×23.8 ). 14-  
 15 1966  
 8 1970  
*Grus grus.*  
 15 1965 28  
 1971 12  
 8 1965  
 1 1979  
 38  
*Anthropoides virgo.*  
 ( ) 25 26  
 1986 24 28  
 25 1988 28  
 26 1993.  
*Crex crex.*  
 15 14-  
 1966  
*Gallinula chloropus.*  
 15 1965 3 6  
 17 1965 2  
 18-22 1962  
 8 1970

( ), 15 1965 -

*Fulica atra.* 15

1965 12 6 -

7 17 1965 8 -

5, 6 8 , 22 1961 3 -

10 1967 100 6-

8 1970

21 1962

22-27 1962 -

*Otis tarda.* 10

1965 - ( ) -

4 2.5-3 - 5 1967 -

( )

12 1979 ,

28 1976 , -

14 1966 .

*Charadrius dubius.*

16 1965 4 -

14 1966.

*Eudromias morinellus.* -

4 1975 12 4 -

*Chettusia gregaria.*

9 1965

28 1976

*Vanellus vanellus.* -

15 1965 10 6 -

14 16 1966 -

10 20 , 15 -

1965 4 -

10-12 , 5 1967 -

300 , 6

3 100-200 . 23 1969 (

210 ). 8

1970 . . . . . ( . . . ),  
. . . . . 20 . . . . . 1972 . . . . .  
*Arenaria interpres*.  
. . . . . 8 . . . . . 1967 . . . . . 2 . . . . .  
*Haematopus ostralegus*.  
. . . . . 14 . . . . . 1995 . . . . . -  
*Tringa ochropus*. . . . . 14 . . . . . 1966 . . . . . -  
*Tringa glareola*. 2 . . . . . 9 . . . . . 1965 . . . . .  
15 . . . . . 1965 . . . . . -  
*Tringa totanus*. . . . . ( . . . . . -  
) 9 . . . . . 1975 . . . . . 3 . . . . .  
(14.4×6 10×6.5 ) , 14 16  
1966 . . . . . 6-8 . . . . .  
. . . . . 15 . . . . . 1965 . . . . . 15 . . . . .  
6 . . . . . , . . . . .  
3 . . . . .  
. . . . . 6 . . . . . 1967 . . . . . 2.3 4 . . . . .  
*Actitis hypoleucos*.  
6 . . . . . 1967 . . . . . 5 . . . . .  
*Phalaropus lobatus*. . . . . 6 . . . . .  
1967 . . . . . 40-50 . . . . . -  
. . . . . 8 . . . . . 1970 . . . . .  
( . . . . . ) . . . . .  
*Gallinago gallinago*. . . . . 14 . . . . .  
1966 . . . . . . . . . .  
. . . . . 24 . . . . .  
1993 . . . . .  
*Gallinago media*. . . . . ( . . . . . 1928; . . . . . 2003). . . . .  
. . . . . 14 . . . . .  
110 , . . . . . 1969 . . . . . ( . . . . . 125 . . . . .  
133 133 , . . . . . 38 39 ) . . . . .  
(3×0.5 ) . . . . .  
. . . . . , . . . . . -  
. . . . .  
*Numenius arquata*. . . . .  
9 . . . . . 1965 . . . . .

. 6 1967 2 2 6 , 9 -  
 - 6 23 1969 2 .  
 ( 650 700 , 280 280 , 122 110 ),

14 1995 2 4 7 -  
*Numenius phaeopus.*

15 1965 .  
*Limosa limosa.*

6 1967 , -  
 20 1991 - 5 .

*Larus ridibundus.*  
 ( ) 11-13 1965

, 8 1970 -  
 6-10 1967 50-60

20 -  
 1991 , -

1994-1995 . 14-

20 1994 . -

( ).  
 - 13 1972

*Larus cachinnans.* -

. 22 1992,  
 - 21-22 1971,

- 20 1969, . - 16 1991,

14-20 1994 . -  
 ( ). 1994-1995

2002 400 27

( 2002). 10 . 5 1967 -  
 20 , -

. 6-10 . 100

. 8 1970  
 ( ).

*Larus canus.* 15  
 1965 .

*Chlidonias niger.* . 8-9  
 1965 , 17 . 5 , 13

1969 17 ,  
1-3 .  
15 1965 10 6  
8 1970 -  
. ( ).  
*Chlidonias leucoptera*.  
12 1977  
7 .  
*Hydroprogne caspia*. 1994 1995 . -  
*Gelochelidon nilotica*. -  
27 2002 *Sterna hirundo* -  
( 2002). ( ,  
2003).  
*Sterna hirundo*.  
( ) 11-13 1965 10 .  
15 1965 10  
6 .  
12 1977.  
6-10 1967 50-  
60 .  
20 1991 -  
, 1994-1995 . 27 2002 . -  
800 4  
3-4  
1-4 ( 2002). 14-  
20 1994 ( -  
). 8 1970  
*Syrrhaptes paradoxus*.  
11 1965 1 , 500  
3 .  
14  
1965 71 . ( ) -  
16 1966  
(1+2+3+20+27 ). - 12 1979 -  
2 2/3  
28  
1976 , 150-200 . 4  
1975 9 10 8 10-50 .



28 1986 - 5, 5, 6  
 16  
 25  
*Columba livia.* 22  
 1971 4  
*Streptopelia orientalis.* 12 1977 -  
 20 1994 -  
*Streptopelia senegalensis.* 24  
 1972 -  
 1977 1978 ( , . . -  
 , 2003).  
*Cuculus canorus.* 12 1977  
*Bubo bubo.* - 12 1979  
*Asio otus.* -  
 ( ) 11-13 1965 ,  
 - 13  
 1972 20 1972 .  
*Otus scops.* -  
 27 1993 .  
*Caprimulgus europaeus.* -  
 12 1972.  
*Apus apus.* 14- - 15  
 1966 20 , .  
*Coracias garrulus.* . 7 1965  
*Alcedo atthis.* . 10 1965  
 ( ) 12-13 1965 , 2 -  
 1 , 8 1970 - .  
*Merops apiaster.* -  
 12 1977 -  
 . 14- - 15-16 1966 -  
 3 , .  
 10 1971 ( 47 -  
 43.2 , 142 136 , 104 94 ), -  
 160 . . . 2006. 15. - 310

			Odonata.	2	-
	8	1970.		.	14
	1979		10	.	
	<i>Upupa epops.</i>				
		1969		- 20	-
13		1965		(	) 11-
					-
	(15-16	1994)		-	(20
	1994 15	1995).			
	<i>Jynx torquilla.</i>				-
			12	1977	
					-
	<i>Dendrocopos minor.</i>		«	»	-
			12	1965	.
27	1993				
	<i>Riparia diluta.</i>				
14-16	1965				-
					-
	<i>Hirundo rustica.</i>			23	1961
			7		-
	1		(2-		).
		28			
				14	1966
					-
			17	1972	-
					-
	<i>Delichon urbica.</i>				-
	16	1994			
		(			).
	<i>Calandrella brachydactyla.</i>				
15-16	1965				
				17	1994
					-
					-
	<i>Melanocorypha leucoptera.</i>				
			14	16	1966
					,
	<i>Melanocorypha yeltoniensis.</i>				
			14-16	1965	

. - 22 1980  
 400-500  
 ( ) 14 1966  
 2 100 ( 300 ).  
 12 1981 5  
 ( ) 20 .  
*Eremophila alpestris.*  
 - 12 1979 2 -  
 12 1981 3-15 -  
 ( ), ( ) , -  
 -

*Anthus campestris.*

(15-16  
 1994) - (14-15 1995). 14-  
 - 16 1966 .

*Motacilla flava.*

, 15 1965 5 -  
 -  
 14 1975 5  
 : 21.3×15.6; 20.7×15.0; 21.0×15.0; 20.5×15.3; 20.5×15.4 .  
 95, 59, 40 .  
 19 1970 . -  
 8 1970 .

*Motacilla citreola.*

15 1965

*Motacilla personata.*

20 1969,  
 - 21-22 1971. -  
 . 19 1994 -  
 , , 20

*Lanius phoenicuroides.*

1966 14- - 15  
 6 . -

*Lanius excubitor.*

*L. e. pallidirostris* 12 1979  
 - . 20-21

1974 . ( ).  
*Oriolus oriolus.* 12 1977

, 13 1965 - . -  
( ). -  
15 1995 -

*Sturnus vulgaris.* -  
12-13 1965 ,

14- 15 ' 1966 -  
7 . -

15 1994 ,  
20 1994 ,  
, 14 1995 ,  
400 ,  
20 1972 .

*Pastor roseus.* 20  
1994 10 - ,

*Pica pica.*

19 1994 2 , . ,

*Corvus monedula.* -  
12 1965

4 5 , 2  
( ) 16 1994 ,

14 1995 2 . 12

*Corvus frugilegus.*

1981 .

*Corvus orientalis.* 20  
1969 200

20 1994 - , -

18 1995 .

*Corvus corax.* -  
 22 1992 6 , -  
 . 14 1966 -

*Locustella luscinioides.*

*Acrocephalus schoenobaenus.* -  
 , 19 1994 18 1995 -

*Sylvia communis.* -  
 12-13 1965 14- -  
 . - 16 1966 1 . -  
 . 19 1994 , , 18 -  
 1995 . -  
 - 15 1995 -

*Hippolais caligata.* -  
 5 1970 -  
 5 -  
 18 1995 -  
 - 4 -

*Phylloscopus collybita.* -  
 13 1972 4

*Phylloscopus humei.* 17 1972 -

*Oenanthe oenanthe.* -  
 (15-16 1994).

*Oenanthe pleschanka.* -  
 20 1994 15 1995 .

*Oenanthe deserti.* -  
 5 1970 4  
 5-6 , 12 1979

*Monticola saxatilis.* -  
 - 8 1990  
 ( . . , . ).

*Phoenicurus phoenicurus.* -  
 ( ) 12-13 1965  
*Phoenicurus ochruros.* -  
 13 1972  
 , 20  
*Luscinia svecica.* 15 1965 -  
 3 6  
 17 1965 -  
 5 17 1972  
*Luscinia megarhynchos.*  
 12 1977 -  
 , 12-13 1965 -  
 - 20 1994 15 1995 -  
*Turdus pilaris.* 12 1977  
*Turdus atrogularis.*  
 ( ) 12-13 1965 5  
*Aegithalos caudatus.* -  
 17 1975 ( 9.5 ,  
 65, 92 ).  
*Remiz macronyx.* -  
 27 2002  
 ( 2002).  
*Remiz coronatus.* -  
 ( ) 12-13 1965  
 ( 6 ).  
*Parus cyaneus.* - 12-  
 13 1965  
 - 13 1972  
*Parus major.* -  
 12-13 1965  
 16  
 . 2006. 15. 310  
 165

1975									
		2		1981					
				,					
				.					
	<i>Sitta europaea.</i>			-					
	17		1975						
	<i>Passer domesticus.</i>								
		1		1975					
		2						2	
4		2		1981					
	<i>Passer montanus.</i>	14-							
16	1966								
				,					2
	6			.					
				,					
		(		1998/1999).					
	<i>Fringilla montifringilla.</i>								
		20		1972.					
	<i>Acanthis flammea.</i>								
				1976					
	<i>Acanthis cannabina.</i>			,					
	12-13		1965	.					
		18		1995		2			
	<i>Bucanetes mongolicus.</i>								
		5		1970					
6						4, 5, 6, 6, 6	6		
	<i>Carpodacus erythrinus.</i>								
	( )	12-13		1965					
	<i>Uragus sibiricus.</i>								
	4			20			1972		
	<i>Emberiza schoeniclus.</i>								
	15		1965		6				
				13		1969		2	
	<i>Emberiza cia, Emberiza cioides.</i>								
					13		1972		
								4-	
16	<i>Emberiza buchanani.</i>								
166									

8 1990  
- 7 1992  
*Emberiza bruniceps.*

, 20 1994 -  
14- -  
15-16 1966 -  
20 .

1960 . -

( 561.4 . ). -

. 1960-1961 ,  
868 2. 1961 ,

1966  
4194 2, -  
( 1967, 1969). -

1909 . . . (1912),  
, : «

».

, , -  
, -  
( , 1997, 1998/1999, 2001). -

, -

. -

, -

. -

, -

-

( 1967, 1969), , , -

.



1.5-2 ,

( 1965, 1967, 1969; 1992;  
1992; 1997, 2004).

*Charadrius dubius*, *Sterna hirundo*, *S. albifrons*, *Larus ridibundus*, *L. cachinnans*,  
– *Motacilla flava*, *Luscinia svecica*, *Vanellus vanellus*, *Tringa totanus*, – *Tadorna ferruginea*, *Haematopus ostralegus*, *Numenius arquata*, *G. grus*, *Circus macrourus*, *Asio flammeus*.  
*Alauda arvensis*,  
*Anthus campestris*, *Caprimulgus europaeus*, *C. coturnix*.

*Larus cachinnans* *Phalacrocorax carbo*,  
*Podiceps cristatus* *Anas platyrhynchos*.  
1980-1985 .

*Podiceps cristatus*, *P. nigricollis*,  
*Fulica atra*, *Anas platyrhynchos*, *A. strepera*, *A. querquedula*, *Aythya ferina*, *A. nyroca*.

*Fulica atra*, *Ardea cinerea*, *Egretta alba*, *Himantopus himantopus*, *Gallinago gallinago*, *Circus aeruginosus*, *C. pygargus*, *Acrocephalus arundinaceus* .

1998 .

50-100 ,

*Anser anser*.

, 1994-1995 -

27 2002 . . (2002),  
*Phalacrocorax carbo*, *Larus cachinnans* *Sterna hirundo*,  
*Pelecanus crispus*. -

. . 1997. -  
// . . :  
37-39. -

. . 1998/1999.  
(*Passer montanus*) // *Selevinia*: 235. -  
. . 2002. // -

: . . : 132-134. -  
. . 2003. *Gallinago media* -  
// . . . 12 (242): 1250-1256. -  
. . 2003. *Falco subbuteo* -  
// . . . 12 (218): 381-382. -  
. . 2004. -  
// *Selevinia*: 112-133. -

. . , . . 1997. -  
( . . ) // -  
. . : 76-78. -

. . , . . 1998/1999. -  
( . . ) // *Selevinia*: 94-98. -  
. . , . . 2001. -  
( . . ) // . . . 10 (170): 1067-1086. -

. . , . . 2003 . . I. Gavii-  
formes, Podicipediformes, Pelecaniformes, Ciconiiformes, Phoenicopteriformes //  
. . . 12 (210): 71-86. -

. . , . . 2003 . . II. Anse-  
riformes // . . . 12 (214): 218-230. -

. . , . . 2003 . . III. Fal-  
coniformes, Galliformes, Gruiformes // . . . 12 (216): 287-312. -

. . , . . 2003 . . IV. Cha-  
radriiformes // . . . 12 (217): 323-342. -

. . , . . 2003 . . V. Pte-  
rocletiformes, Columbiformes, Cuculiformes, Strigiformes, Caprimulgiformes, Apo-  
diformes, Coraciiformes, Piciformes // . . . 12 (219): 395-406. -

. . , . . 2003 . . VI. Pas-  
seriformes // . . . 12 (220): 431-465. -

. . , . . , . . 1995.  
// *Selevinia* 1: 62-65. -

. . 1912. - 1909 // -  
. . . 3: 1-32. -

. . 2006. 15. - 310 -

. . 1965. //  
 . . 1967. // . : 37-41.  
 . . 1969. // : 227-234.  
 // : 158-161.  
 . . 1938. -  
 . . ; , 1: 1-320; 2: 1-434.  
 . . 1928. ( -  
 ) // . - 81, 1: 1-157.  
 . . 1990. -  
 //  
 2: 191-193.  
 . . 2002.  
 // *Selevinia*: 295-297.

## j k

ISSN 0869-4362

2006, 15, - 310: 170-173

### *Galerida cristata*

-  
 . .  
 . 1904\*  
 ( 8, 1903,  
*Galerida cristata* (Linnaeus,  
 1758) , 1903 . , 21  
 :  
 , -  
 , 1-  
 .  
 22 , , , -

\* . . 1904. *Galerida cristata* (Linn.) . - // . .  
 . . 9, 4: XXXVI-XLI.

*G. cristata*

( . . . . . 14, 1884, . 460), . . . . .

*Emberiza citrinella*; 1876 1977

; . . . . .

é

Mela (*Vertebrata fennica*, 1882 p. 128)

( . . . . . 16, 1885, . 517)

( . . . . . 27, 1897, . 29),

. . . . . 27, 1897)

Th.Lorenz (*Bull. Soc. Nat. Moscou* 1892: 263-321; 1893: 337-354; 1894: 325-350)

( . . . . . 10, 1879, . 99-139),

( . . . . . 5, 1900, . 103-201).

1876 1877 . . .  
 (Bull. Soc. Nat. Moscou 1879: 366; 1882, ii: 213 –  
 . . . 1, 1892, . 53)  
 . . . 19, . 1, 1904 (23 .). ( . . . -  
 (Bull. Soc. Nat.  
 Moscou 1864, i: 461),  
*G. cristata*, ( . 1855, .  
 206),  
 ( . 1897, ii, . 206),–  
 . . . ( . 1871, . 99)  
 . . . *G. cristata* .  
 - . 142, 1894, . 9),  
 ( . -  
 . . 25, . 6, 1893, . 182).  
*G. cristata* *G. cristata magna* Hume,  
 – *G. cristata caucasica* Tacz.,  
 . . . ( . 3, 1897, . 245) *G. cristata*  
 , *G. magna*  
 . . . 57, 1888, . 1, . 112) 9 1883  
*G. magna*,  
 ,  
*G. cristata cristata*  
 - , 15 1892 . . . .  
 ( . – ;  
 – ( ), – ( ),  
 ( ) – ( )

, ( ), ( - ); ( - - ).

j k

ISSN 0869-4362

2006, 15, - 310: 173-174

*albicilla* - *Haliaeetus*

. .

2005\*

- , -  
- *Haliaeetus albicilla* -  
- 180 ( -  
. 1983); - 160 ( 1978); -  
- 20 ( . . , .  
). , - ( -  
) , , -  
19 2001 .  
- , - -  
1.5 0.5 2-3 .  
2 25 .  
9 .

*Buteo rufinus,*

\* . . 2005. // 3: 65-66.  
. . 2006. 15. - 310 173

*Aquila nipalensis.*

28 2005

2001

2

1

»,

«

. . 1978.

: 1-7.

..

//

..

. . 1983.

1-

. . : 155-158.

j k

ISSN 0869-4362

2006,

15,

- 310: 174-175

***Uragus sibiricus***

..

, ..

2005\*

*Uragus sibiricus*

16

2001

:

(

. 2003).

13

2005

*Alnus glutinosa.*

\*

..

. 2005.

//

2: 25-26.

:  
 , 1-5  
*Fringilla coelebs*,  
 8-10  
 ,  
 ,  
 ,  
 (Ryabitsev, Wilson 1999;  
 2001).  
 , 2000/01  
 15  
 ( 1994 ).  
 ,  
 (Cramp, Perrins 1994).  
 ,  
 ,  
 ,  
 ,  
 ,  
 . . 1994.  
 . . 2003. //  
 -2001/ . . ( ). : 94-96.  
 . . 2001.

Cramp S., Perrins C.M. (eds.). 1994. *The Birds of the Western Palearctic*. Vol. 8. Oxford; London; New York.

Ryabitsev V.K., Wilson M.G. 1999. Range extension of Long-tailed Rosefinch into the Western Palearctic // *Brit. Birds* **92**: 498-503.

j k



# Coturnix

## coturnix

. . . , . . .  
 ,  
 480060, . E-mail InstZoo@nursat.kz , 93, , , -  
 22 2005

## Coturnix coturnix

- , ) -  
 ( 1962). -  
 , 1979 1992 -  
 ( 10  
 1982 26 1986. 17  
 1999 (46°22' . ., 81°07' . .).  
 11 ,  
 25 . 2001  
 14 15 -  
 (46°20.394' . ., 81°05.149' . .). 26

.  
 . 1979-1992 1999-  
 2005 -  
 , , -  
 . -  
 , -  
 . -  
 11 (61-122, 97 ). 5 -  
 - , -  
 , -  
 , -  
 , -

(*Anser anser*, *A. fabalis*, *Cygnus olor*,  
*C. cygnus*, *Tadorna ferruginea*, *Anas platyrhynchos*, *A. crecca*, *Aythya fe-*  
*rina*, *A. nyroca*, *Larus cachinnans*, *L. ridibundus*, *Fulica atra*, *Vanellus*  
*vanellus*, *Circus aeruginosus*), (Otis  
*tarda*, *Chlamydotis undulata*, *Pterocles orientalis*, *Syrhaptes paradoxus*).

« »

( . 2004).

.. , .. , .. , .. 2004. -  
// . - . 48: 126-150.  
.. 1962. - *Coturnix*// . - , 2:  
428-435.

j k

ISSN 0869-4362

2006, 15, - 310: 177-178

« »

2001\*

« »,

30 . 1983

( ( 400 ), ) ( ) ,

;

---

\* . . 2001.

« »//

: 665-666.

30 -  
 , -  
 . -  
 , -  
 , -  
 1980-  
*Podiceps cristatus*, *Anas*  
*penelope*, *Larus ridibundus*. 12  
 4 , 2 -  
*Larus minutus* *Xenus cinereus* -  
 .  
 1989 .  
 , - 150 .  
 ,  
 ( . 1993), « »  
 - ,  
 2-3 6 . 1989-1999 .  
 1995 « » -  
*Cygnus cygnus*, -  
 . -  
*Anas clypeata*,  
 1994 .  
 1997  
*Botaurus stellaris*,  
 ,  
 ,  
 40- -  
*Mergellus albellus*,  
 1960-1970 ;  
 1990- .  
 ( )  
*Charadrius dubius*.  
 1990- , -  
 .

j k

# *Fringilla montifringilla*

2004\*

*Sorbus aucuparia*

2003/04 .

*Turdus pilaris,*

*fringilla,*

*Bombycilla garrulus.*

*Passer domesticus,*

*Columba livia.*

300

20

j k

---

\* . . 2004. // : 120.

. 2006. 15. - 310 179